


ALU-LINE BIOCLIMATIC PERGOLA



INFORMATION

■ ALU-LINE PERGOLA

EN

TECNODECK ALU-LINE - PERGOLA SYSTEM

In addition to our Wood Composite Pergolas, Tecnodeck presents the ALU-LINE range of products.

The Tecnodeck ALU-LINE provides a set of opening/closing possibilities for the covers of the Pergolas that allow the enjoyment of spaces throughout the year.

The Tecnodeck ALU-LINE Pergolas are an extraordinary option for space extension, whether for private or commercial use, taking profit of seasonal or underused areas.

The Tecnodeck ALU-LINE Pergolas use the most advanced technology, such as the automation systems of Somfy and high quality lacquered aluminium structures.

ES

TECNODECK ALU-LINE - SISTEMAS DE PERGOLA

Complementario a nuestra gama de Pergolas en madera tecnológica, Tecnodeck presenta su línea de productos ALU-LINE.

La gama Tecnodeck ALU-LINE proporciona un conjunto de posibilidades de apertura/cierre para las cubiertas de las Pergolas.

Las Pergolas ALU-LINE son una opción extraordinaria para ampliar espacios privados o comerciales, haciendo uso de áreas estacionales o subutilizadas.

Las Pergolas Tecnodeck ALU-LINE utilizan la tecnología más avanzada, como los sistemas de automatización Somfy y estructuras de aluminio lacado de alta calidad.

FR

SYSTÈMES DE PERGOLA TECNODECK ALU-LINE

En complément de notre Pergolas bois composite, Tecnodeck présente la gamme de produits ALU-LINE.

La gamme Tecnodeck ALU-LINE offre un éventail de couvertures de Pergolas, qui permettent l'utilisation d'espaces extérieurs tout au long de l'année.

Les Pergolas Tecnodeck ALU-LINE sont une option extraordinaire pour l'extension de l'espace, que ce soit à usage privé ou dans des applications commerciales, profite des espaces saisonniers ou sous-utilisés.

Les Pergolas Tecnodeck ALU-LINE utilisent la technologie la plus avancée, comme les systèmes d'automatisation Somfy et structures en aluminium laqué de haute qualité.

PT

TECNODECK ALU-LINE - SISTEMAS DE PERGOLA

Em complemento à nossa gama de Pergolas em compósito de madeira, a Tecnodeck apresenta a linha de produtos ALU-LINE.

A Gama Tecnodeck ALU-LINE proporciona um conjunto de possibilidades de abertura/fecho das coberturas de Pergolas, que permitem o usufruto de espaços exteriores ao longo de todo o ano.

As Pergolas ALU-LINE são uma extraordinária opção para prolongamento de espaços, seja em uso privado ou em aplicações comerciais, rentabilizando espaços de uso sazonal ou sub-aproveitados.

As Pergolas Tecnodeck ALU-LINE utilizam a mais avançada tecnologia, como os sistemas de automação Somfy e estruturas em alumínio lacado de elevada qualidade.



INDEX

■ ALU-LINE PERGOLA



ALU-LINE BIOCLIMATIC PERGOLA


OPEN SKY ECO	08
OPEN SKY	13
CLASSIC ECO	18
CLASSIC	23
LIGHTING	28

**ENJOY
OUTDOOR
LIVING**





BIOCLIMATIC PERGOLA

■ PERGOLA SYSTEM



BIOCLIMATIC PERGOLA

■ PERGOLA SYSTEM



BIOCLIMATIC PERGOLA OPEN SKY ECO

■ PERGOLA ALU-LINE






 **Tecnodeck**[®]
www.tecnodeck.net ALU-LINE




BIOCLIMATIC PERGOLA OPEN SKY ECO

■ PERGOLA ALU-LINE


DIMENSIONS IN MM



SIDE VIEW





SIDE VIEW







BIOCLIMATIC PERGOLA OPEN SKY ECO

■ PERGOLA ALU-LINE

TECHNICAL DETAILS



WALL CONNECTION PARTS



Standard foot



TECHNICAL LEGEND


- | | |
|--|--|
| ● Rails | ● Column Basement Fixing Aparatus and Water Way Out, Gutter Column Connection Aparatus, Brackers |
| ● Aluminium Panel | ● Gutter and Rail Connection Aparatus |
| ● Column | ● Pole |
| ● Gutter | |
| ●● Additional Adapters | |
| ● Gutter Side Cap | ■ Back Height |
| ● Gutter Pediment and Connection Equipment | ■ Frontal Height |
| | ■ Projection |
| | ■ Inclination |
| | ■ Width |

BIOCLIMATIC PERGOLA OPEN SKY ECO


■ PERGOLA ALU-LINE

TECHNICAL SPECIFICATIONS


Side View System Open




Side View System Closed



Top View System Open



Top View System Closed






TECHNICAL LEGEND

- Rails
- Aluminium Panel
- Column
- Gutter
- Additional Adapters
- Gutter Side Cap
- Gutter Pediment and Connection Equipment
- Column Basement Fixing Aparatus and Water Way Out, Gutter Column Connection Aparatus, Brackers
- Gutter and Rail Connection Aparatus
- Pole
- Back Height
- Frontal Height
- Projection
- Inclination
- Width

BIOCLIMATIC PERGOLA
OPEN SKY ECO
■ PERGOLA ALU-LINE

CATALOG



PRICES - €/un EURO | TAXES NOT INCLUDED

		WIDTH											
cm		250	300	350	400	450	500	550	600	650	700	750	800
PROJECTION	200	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	250	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	300	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	350	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	400	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	450	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	500	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	550	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	600	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Wooden Box net price [compulsory with purchase]

On the above price Tmotion motor, Remote control, receiver, Gutter and Column and connection aparatus are included, polyurethan injections are not included.

LIGHTING
Led White Color Peripheral Lighting 6W
Control Kit

COLORS



XPS INJECTIONS
HEAT AND SOUND INSULATION

*Transport and mounting not included

BIOCLIMATIC PERGOLA OPEN SKY


■ PERGOLA ALU-LINE




BIOCLIMATIC PERGOLA OPEN SKY

■ PERGOLA ALU-LINE


DIMENSIONS IN MM



SIDE VIEW





TOP VIEW






BIOCLIMATIC PERGOLA OPEN SKY

■ PERGOLA ALU-LINE

TECHNICAL DETAILS





WALL CONNECTION PARTS



Adjustable foot

Standard foot



Optional foot



TECHNICAL LEGEND


- Rails
- Aluminium Panel
- Column
- Gutter
- Additional Adapters
- Gutter Side Cap
- Gutter Pediment and Connection Equipment
- Column Basement Fixing Aparatus and Water Way Out, Gutter Column Connection Aparatus, Brackers
- Gutter and Rail Connection Aparatus
- Pole
- Back Height
- Frontal Height
- Projection
- Inclination
- Width

BIOCLIMATIC PERGOLA OPEN SKY


■ PERGOLA ALU-LINE

TECHNICAL SPECIFICATIONS


Side View System Open




Side View System Closed



Top View System Open



Top View System Closed



TECHNICAL LEGEND

- Rails
- Aluminium Panel
- Column
- Gutter
- Additional Adapters
- Gutter Side Cap
- Gutter Pediment and Connection Equipment
- Column Basement Fixing Aparatus and Water Way Out, Gutter Column Connection Aparatus, Brackers
- Gutter and Rail Connection Aparatus
- Pole
- Back Height
- Frontal Height
- Projection
- Inclination
- Width


BIOCLIMATIC PERGOLA OPEN SKY

■ PERGOLA ALU-LINE

CATALOG



Max. Width 900 cm
Max. Projection 700 cm



Rails




Panel



Column



Gutter (Water Drain)



PRICES - €/un EURO | TAXES NOT INCLUDED

		WIDTH													
cm		250	300	350	400	450	500	550	600	650	700	750	800	850	900
PROJECTION	200	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	250	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	300	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	350	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	400	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	450	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	500	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	—	—
	550	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	—	—
	600	✓	✓	✓	✓	✓	✓	✓	✓	—	—	—	—	—	—
	650	✓	✓	✓	✓	✓	✓	—	—	—	—	—	—	—	—
	700	✓	✓	✓	✓	✓	✓	—	—	—	—	—	—	—	—
		2 RAILS		3 RAILS						4 RAILS					
		4 COLUMNS						8 COLUMNS							

Wooden Box net price (compulsory with purchase)

On the above price Tmotion motor, Remote control, receiver, Gutter and Column and connection apparatus are included, polyurethan injections are not included.

Other colors
+10%



COLORS



POLYURETHAN INJECTIONS
HEAT AND SOUND INSULATION

*Transport and mounting not included

BIOCLIMATIC PERGOLA CLASSIC ECO

■ PERGOLA ALU-LINE





 **Tecnodeck**[®]
www.tecnodeck.net ALU-LINE




BIOCLIMATIC PERGOLA CLASSIC ECO

■ PERGOLA ALU-LINE


DIMENSIONS IN MM



SIDE VIEW





TOP VIEW




BIOCLIMATIC PERGOLA CLASSIC ECO

■ PERGOLA ALU-LINE

TECHNICAL DETAILS



WALL CONNECTION PARTS



TECHNICAL LEGEND


- Aluminium Panel
- Illumination Profile
- Gutter inner Profile
- Gutter top Profile
- Gutter
- Column
- Pole
- Back Height
- Frontal Height
- Projection
- Inclination
- Width

BIOCLIMATIC PERGOLA CLASSIC ECO


■ PERGOLA ALU-LINE

TECHNICAL SPECIFICATIONS

Top View System Open



Top View System Closed




TECHNICAL LEGEND

- Aluminium Panel
- Illumination Profile
- Gutter inner Profile
- Gutter top Profile
- Gutter
- Column
- Pole
- Back Height
- Frontal Height
- Projection
- Inclination
- Width


BIOCLIMATIC PERGOLA CLASSIC ECO

■ PERGOLA ALU-LINE

CATALOG



Max. Width 500 cm
Max. Projection 900 cm




Panel



Lighting



Gutter (Water Drain)



Column


PRICES - €/un EURO | TAXES NOT INCLUDED

		WIDTH						
cm		200	250	300	350	400	450	500
PROJECTION	200	✓	✓	✓	✓	✓	✓	✓
	250	✓	✓	✓	✓	✓	✓	✓
	300	✓	✓	✓	✓	✓	✓	✓
	350	✓	✓	✓	✓	✓	✓	✓
	400	✓	✓	✓	✓	✓	✓	✓
	450	✓	✓	✓	✓	✓	✓	✓
	500	✓	✓	✓	✓	✓	✓	✓
	550	✓	✓	✓	✓	✓	✓	✓
	600	✓	✓	✓	✓	✓	✓	✓
	650	✓	✓	✓	✓	✓	—	—
	700	✓	✓	✓	✓	✓	—	—
	750	✓	✓	✓	✓	✓	—	—
	800	✓	✓	✓	✓	✓	—	—
	850	✓	✓	✓	✓	✓	—	—
	900	✓	✓	✓	✓	✓	—	—

Wooden Box net price (compulsory with purchase)

On the above price Tmotion motor, Remote control, receiver, Gutter and Column and connection aparatus are included, polyurethan injections are not included.

COLORS



Other colors +10%



XPS INJECTIONS
HEAT AND SOUND INSULATION

*Transport and mounting not included

BIOCLIMATIC PERGOLA CLASSIC

■ PERGOLA ALU-LINE


Tecnodeck[®]
www.tecnodeck.net ALU-LINE




BIOCLIMATIC PERGOLA CLASSIC

■ PERGOLA ALU-LINE


DIMENSIONS IN MM



SIDE VIEW





TOP VIEW




BIOCLIMATIC PERGOLA CLASSIC

■ PERGOLA ALU-LINE

TECHNICAL DETAILS



WALL CONNECTION PARTS



TECHNICAL LEGEND


- Aluminium Panel
- Illumination Profile
- Gutter inner Profile
- Gutter top Profile
- Gutter
- Column
- Pole
- Back Height
- Frontal Height
- Projection
- Inclination
- Width

BIOCLIMATIC PERGOLA CLASSIC


■ PERGOLA ALU-LINE

TECHNICAL SPECIFICATIONS

Top View System Open



Top View System Closed



TECHNICAL LEGEND

- Aluminium Panel
- Illumination Profile
- Gutter inner Profile
- Gutter top Profile
- Gutter
- Column
- Pole
- Back Height
- Frontal Height
- Projection
- Inclination
- Width

BIOCLIMATIC PERGOLA CLASSIC

■ PERGOLA ALU-LINE

CATALOG




PRICES - €/un EURO | TAXES NOT INCLUDED

		WIDTH								
		200	250	300	350	400	450	500	550	600
PROJECTION	200	✓	✓	✓	✓	✓	✓	✓	✓	✓
	250	✓	✓	✓	✓	✓	✓	✓	✓	✓
	300	✓	✓	✓	✓	✓	✓	✓	✓	✓
	350	✓	✓	✓	✓	✓	✓	✓	✓	✓
	400	✓	✓	✓	✓	✓	✓	✓	✓	✓
	450	✓	✓	✓	✓	✓	✓	✓	✓	✓
	500	✓	✓	✓	✓	✓	✓	✓	✓	—
	550	✓	✓	✓	✓	✓	✓	—	—	—
	600	✓	✓	✓	✓	✓	✓	—	—	—

Wooden Box net price (compulsory with purchase)
On the above price Tmotion motor, Remote control, receiver, Gutter and Column and connection aparatus are included, polyurethan injections are not included.

COLORS



POLYURETHAN INJECTIONS
HEAT AND SOUND INSULATION

*Transport and mounting not included

BIOCLIMATIC PERGOLA LIGHTING

■ PERGOLA ALU-LINE

 **Tecnodeck**[®]
www.tecnodeck.net ALU-LINE



BIOCLIMATIC PERGOLA LIGHTING

■ PERGOLA ALU-LINE

CATALOG



Dimmer KIT

pc

Strip Led

m

RGB Led

m

Control KIT

pc

BIOCLIMATIC PERGOLA LIGHTING

■ PERGOLA ALU-LINE

STRUCTURE COLORS | COULEURS DE LA STRUCTURE | COLORES DE LA ESTRUCTURA | CORES DA ESTRUTURA

STANDARD COLORS | COULEURS STANDARD | COLORES STANDARD | CORES STANDARD

9016	8017	7016	7043	9005	1013	9006
------	------	------	------	------	------	------

ALTERNATIVE COLORS | COULEURS ALTERNATIVES | COLORES ALTERNATIVOS | CORES ALTERNATIVAS

Prices | Prix | Precio | Preço +10%

9001	1015	1014	1021	1003	2003	2001	3020	3000
3005	8019	8014	8012	8011	8003	7044	7001	7035
7009	7011	7015	7024	7021	5011	5003	5005	5009
5015	5014	6019	6021	6010	6002	6003	6005	